



PARIKSHAN FSS PRIVATE LIMITED
OFFICE NUMBER: 044-22500204
MOBILE NUMBER: +919500085159
E-mail: admin@parikshan.com
WEBSITE: www.parikshan.com

PARIKSHAN FSS PVT LTD
SUN TOWER, 1st, 2ND FLOOR,
SUPER A7, T.V.K INDUSTRIAL ESTATE,
GUINDY, CHENNAI-600032

TEST REPORT

DISCIPLINE	CHEMICAL	SAMPLE CODE NO:	CL070512
ULR NUMBER:	TC1430825000005542F	GROUP:	FOOD AND AGRICULTURAL PRODUCTS
REPORT DATE:	31.07.2025	REPORT NUMBER:	PACH 25/07/0649
CUSTOMER PROVIDED INFORMATION			
ISSUED TO:	SPT FOODS AND COSMETICS PRIVATE LIMITED		
ADDRESS:	NO.4, VEDHANAYAGAM ROAD ELIMS NAGAR, PAZANJUR, PAPPAN CHATIRAM, CHENNAI, THIRUVALLUR, TAMIL NADU, CHENNAI - 600123		
SAMPLE NAME:	CASTOR OIL SAMPLE #2		
SAMPLE DESCRIPTION:	YELLOW COLOUR OIL PACKED IN PET BOTTLE	BATCH NUMBER:	NA
SAMPLING LOCATION:	CUSTOMER LOCATION	MANUFACTURING DATE:	NA
SAMPLING TECHNIQUE:	BY CUSTOMER	BEST BEFORE:	NA
SAMPLING TEMPERATURE:	NA	SAMPLE QUANTITY:	200 ml
LABORATORY INFORMATION			
SAMPLING DATE:	NA	SAMPLE COLLECTED BY:	CUSTOMER
SAMPLE RECEIVED ON:	24.07.2025	SAMPLE RECEIVING CONDITION:	ACCEPTABLE
TESTING COMMENCED ON:	25.07.2025	TESTING COMPLETED ON:	31.07.2025

S.NO.	PARAMETER	METHOD OF TESTING	RESULTS	UNIT OF MEASUREMENTS
1.	Moisture and volatile matter	IS 548 (Part 1) -1964(Reaff: 2021)	0.48	-
2.	Unsaponifiable matter	IS 548 (Part 1) -1964(Reaff: 2021)	0.82	%
3.	Acid Value	IS 548 (Part 1) -1964(Reaff: 2021)	3.57	mg/KOH/g
4.	Test for Argemone oil	IS 548 (Part 2): 2015	Negative	-
5.	Test for Rancidity	FSSAI manual of oil and fats: p -37	Negative	-
6.	Test for Argemone oil	IS 548 (Part 2): 2015	Negative	-

NA – Not Applicable, NMT – Not More than, NLT – Not Less Than; BDL: Below Detection Limit, DL: Detection Limit

REPORT MADE BY:	JEGA SHRUTHI	AUTHORISED BY
DESIGNATION:	CHEMIST	 SURYA PRIYADHARSHINI AUTHORIZED SIGNATORY

NOTE:

- TEST RESULTS RELATE ONLY TO THE ITEMS TESTED.
- THIS TEST REPORT SHALL NOT BE REPRODUCED ANYWHERE EXCEPT IN FULL & IN SAME FORMAT WITHOUT THE APPROVAL OF LABORATORY.
- UNLESS INFORMED BY THE CUSTOMER, TEST SAMPLES WILL NOT BE RETAINED MORE THAN 5 DAYS FROM THE DATE OF ISSUE OF TEST REPORTS.
- LABORATORY IS NOT RESPONSIBLE FOR THE AUTHENTICITY OF PHOTOCOPIED TEST REPORTS.

----END OF REPORT----

Test carried out at: SUPER A7, SUN TOWERS 1ST&2NDFLOOR, THIRU-VI-KA-IND-ESTATE, GUINDY, CHENNAI-600032

VERSION NO: 0	DOC ID: P.FO. QCTL.16	EFFECTIVE DATE: 03.04.2023	REVISED: -
----------------------	------------------------------	-----------------------------------	-------------------